




Bag / sock filter vessel

Technical drawing (DYS01 & DYS02)





Item	Description
1	Housing assemble
2	Cover lid assemble
3	Leg assembly
4	Inlet
5	Outlet
6	Drain
7	Handle
8	Eye bolt
9	1/2" NPT Vent

DYS01 (50 gallon per min)						
X	A	B	C	D	E	F
2	25 3/16	22 3/16	19 15/16	5 1/16	14 1/4	10 1/4
3	27 5/16	23 7/16	20 9/16	5 3/16	14 1/4	12 1/16

DYS02 (100 gallon per min)						
X	A	B	C	D	E	F
2	40 5/16	36 11/16	34 7/16	5 1/16	28 3/4	10 1/4
3	41 5/8	37 15/16	35 1/16	5 3/16	28 3/4	12 1/16

Bag / sock filter vessel

Technical drawing (DYS03 & DYS04)



Item	Description
1	Housing assemble
2	Cover lid assemble
3	Inlet
4	Outlet
5	Drain
6	Handle
7	Eye bolt
8	1/2" NPT Vent

DYS03 (15 gallon per min)							
X	A	B	C	D	E	F	G
1	16 7/16	13 7/16	5 3/8	1 13/16	6	3	3
2	17 1/4	14 1/4	5 3/8	2 1/2	6 3/8	3 1/8	3 1/4

DYS04 (30 gallon per min)							
X	A	B	C	D	E	F	G
1	21 15/16	18 15/16	10 5/8	1 13/16	6	3	3
2	22 3/4	19 3/4	10 5/8	2 1/2	6 3/8	3 1/8	3 1/4



Headquarters:

5250 W. Coplay Road Whitehall,
Pennsylvania 18052

Midwest location:

648 Bennett Road
Elk Grove Village, IL 60007

West location:

1701 S 5350 W
Salt Lake City, UT 84104

Email: info@dynalene.com

Phone: 610.262.9686 / 1.877.244.5525

Fax: 610-262-7437

Web: www.dynalene.com/filtration

©2015 Dynalene Inc

All Rights Reserved

Printed in USA

July 2015